



ZOCON

Brochure 2022 V2

Valid from 01.05.2022



Grassland Harrows | Greenkeepers | Greenseeders | Seeders

Rubberscrapers Threepoint/Universal | Sweepers Threepoint/Universal

Tipping Trailers | Baleclamps | Budget Rubber Scraper | Feed Sweeper Wheels

TIPPING TRAILER Z030 - 3.0 TON



TIPPING TRAILER Z030:

	Z030
Max. total weight (kg)	3.750
Loading capacity (kg)	3.000
Weight tipping trailer (kg)	750
Dimensions loading area (cm)	240 x 150 x 40
Height loading platform (cm)	84
Tipping angle	52°
Thickness bottom (mm)	3
Thickness sideboards (mm)	2
Power demand (HP)	35 - 65
Tires	10.0/75x15.3

Basic equipment:

- European approval (with COC documents)
 - With overrunbrakes until 40 km/h
 - With 2-line brakes until 30 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Removable side boards
- Self closing backdoor
- Automatic locksystem backdoor
- Lighting
- Integrated support wheel
- Turnable hitch ø35
- Lower and upper drawbar

Price:

Z030 with overrun brakes ø40	€ 7.350,-
Z030 with 2-line Airbrakes	€ 7.500,-
Z030 with 2-line Hydraulic Brakes	€ 7.820,-

Option:

- Tires 11.5/80 x 15.3 (set)	€ 110,-
- Tires 15.0/55 x 17 (set)	€ 490,-
- Extensions (400 mm)	€ 1.290,-
- Netting extension (800 mm)	€ 2.050,-
- Shreds cover	€ 1.140,-
- 2-doors tailgate	€ 1.115,-
- 3-side tipping	€ 940,-
- Hydr. support	€ 330,-
- LED lighting	€ 195,-
- Tool box	€ 400,-
- Hooks for ropes (8st)	€ 195,-



3-SIDE TIPPING




2-DOORS TAILGATE



AUTOMATIC LOCKSYSTEM

TIPPING TRAILER Z045/Z050 - 4.5 TON/ 5.0 TON



Z045



Z050



EUROPEAN APPROVED

TIPPING TRAILER:	Z045	Z050
Max. total weight (kg)	5.700	6.400
Loading capacity (kg)	4.500	5.000
Weight tipping trailer (kg)	1.200	1.400
Dimensions loading area (cm)	340 x 180 x 40	340 x 180 x 40
Height loading platform (cm)	96	96
Thickness bottom (mm)	4	4
Thickness sideboards (mm)	2	2
Power demand (HP)	45-75	45-75
Tipping angle	50°	50°
Tires	11.5/80x15.3	11.5/80x15.3

Basic equipment:

- **European approval (with COC documents)**
 - With overrunbrakes until 40 km/h
 - With 2-line brakes until 30 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Removable side boards
- Self closing backdoor
- Automatic locksystem backdoor
- Lighting
- Integrated support wheel
- Turnable hitch ø50
- Lower and upper drawbar

Z045 with overrun brakes ø40	€ 7.995,-
Z045 with 2-line Airbrakes	€ 8.205,-
Z045 with 2-line Hydraulic Brakes	€ 8.700,-

Z050 with overrun brakes ø40	€ 9.385,-
Z050 with 2-line Airbrakes	€ 9.595,-
Z050 with 2-line Hydraulic Brakes	€ 9.995,-

Option:

- Tires 15.0/55 x 17 (set)	€ 490,-
- Tires 19.0/45 x 17 (set)	€ 890,-
- Tires 500/50 x 17 (set)	€ 965,-
- Extensions (400 mm)	€ 1.465,-
- Netting Extensions (800 mm)	€ 2.315,-
- Shreds cover	€ 1.265,-
- 2-doors tailgate	€ 1.225,-
- 3-side tipping (only Z050)	€ 1.045,-
- Hydr. support	€ 455,-
- LED lighting	€ 195,-
- Tool box	€ 400,-
- Hooks for ropes (10st)	€ 245,-



EXTENSIONS 400MM



OVERRUN BRAKES (COC)



NETTING EXTENSIONS



SHREDS COVER

TIPPING TRAILER Z080/Z100 - 8.0 TON / 10.0 TON



SINGLE AXLE



EXTENSIONS



ONE SIDE TIPPING

Basic equipment:

- European approval (with COC documents)
 - Single axle with 2-line brakes until 30 km/h
 - Tandem axle with 2-line brakes until 40 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Single or tandem axle (bogie, leaf spring suspension)
- Removable side boards with mechanic locksystem
- Self closing backdoor
- Hydraulic locksystem backdoor
- Lighting
- Hydraulic support
- Turnable hitch ø50
- Lower and upper drawbar

Price:	AIRBRAKES	HYDR. BRAKES
Z080 single axle		
Z080 tandem axle		Z080/Z100
Z100 single axle		not available at the moment
Z100 tandem axle		

Option:

- Tires 19.0/45 x 17 (set)
- Tires 500/50 x 17 (set)
- 3 Side tipping with hydraulic locksystem sideboards
- Extensions (400 mm)
- Shreds cover
- 2-doors tailgate
- LED lighting
- Tool box
- Hooks for ropes (12st)
- K80 ball head coupling

TIPPING TRAILER:

	Z080	Z100
Max. total weight (kg)	10.300	12.700
Loading capacity (kg)	8.000	10.000
Weight tipping trailer (kg)	2.300	2.700
Dimensions loading area (cm)	450 x 220 x 60	450 x 220 x 60
Height loading platform (cm)	106	106
Thickness bottom (mm)	4	4
Thickness sideboards (mm)	2	2
Power demand (HP)	60	80
Tipping angle	50°	50°
Tires single axle	550/45x22.5	550/45x22.5
Tires tandem axle	15.0/55x17	15.0/55x17



WWW.ZOCON.EU

Zonderland Constructie B.V.
De Koevorde 6
8502 TZ JOURE
THE NETHERLANDS

Phone +31 (0)513 714334
E-mail info@zocon.eu
Website www.zocon.eu