



ZOCOM

Brochure 2022 V2



Valid from 01.05.2022



Østergade 65
9560 Hadsund

Telefon 70 70 76 39
info@jenslubeck.dk

GRASSLAND HARROW



GRASSLAND HARROW:	W5-3	W6-3	W8-3	W5-4	W6-4	W8-4
Weight (kg)	555	635	775	635	715	835
Number of rows of elements	3	3	3	4	4	4
Outputs for seeder	8	10	12	8	10	12

Basic equipment:

- Completely galvanized
- Heavy, cast-iron elements can be used from both sides
- Shackle for quick changing of nets
- Laser cutted hooks provides extra strength
- Reinforced corners and skids
- Extra heavy hinges
- Mechanic blockage of 2 cylinders
- Linkage Cat. 2 suitable for catch hooks
- Hydraulic hoses mounted cleverly
- Transport width 2310mm

Price:	3 Rows	4 Rows
5m: hydraulic	€ 3.265,-	€ 3.505,-
6m: hydraulic	€ 3.595,-	€ 3.920,-
8m: hydraulic	€ 4.095,-	€ 4.565,-

Seeder:	5m/6m	8m
Z150 Professional	€ 4.415,-	€ 4.490,-
Z300 Professional	€ 4.720,-	€ 4.795,-
Z450 Professional	€ 4.960,-	€ 5.035,-

Option:

- 7-pin signal cable ISO € 165,-
- Sensor + Groundwheel (for controled dosage) € 575,-
- Stairs € 415,-
- Extra skid (a piece) € 60,-
- Extra large skid (a piece) € 160,-
- Height adjustable guide wheels (front) € 1.360,-
(Set 4 pieces with mounting option for sensor)
- Frontlinkage € 2.170,-



OPTIONAL SEEDER




CAST-IRON ELEMENTS



FRONTLINKAGE

GREENKEEPER



GREENKEEPER:	G-06	G-08
Weight (kg)	635	785
Tines double	60	81
Dispersion plates (seeder)	10	12

Basic equipment:

- Completely galvanized, robust & modular frame
- 10 mm double tines (3 rows)
- 12-Stage depth adjustment
- Mechanic blockage of 2 cylinders
- Linkage Cat. 2 suitable for catch hooks
- Extra heavy hinges and reinforced corners and skids
- Transport width 2715mm

Price:

6m Greenkeeper hydraulically foldable	€ 4.610,-
8m Greenkeeper hydraulically foldable	€ 5.250,-

Seeder:

	6m	8m
Z150 Professional	€ 4355,-	€ 4400,-
Z300 Professional	€ 4660,-	€ 4705,-
Z450 Professional	€ 4900,-	€ 4945,-

Option:

- 7-pin signal cable ISO	€ 165,-
- Sensor + Groundwheel (for controlled dosage)	€ 575,-
- Stairs	€ 415,-
- Seed tines for 6m (19 double tines)	€ 975,-
- Seed tines for 8m (27 double tines)	€ 1.225,-
- Lighting LED	€ 355,-
- Warning Plates (option Lighting LED required)	€ 115,-
- Extra skid (a piece)	€ 60,-
- Extra large skid (a piece)	€ 160,-
- Height adjustable guide wheels (front) (Set 4 pieces with mounting option for sensor)	€ 1.360,-
- Frontlinkage	€ 2.170,-




DEPTH ADJUSTMENT



GROUNDWHEEL/SENSOR




CONTROL BOX PROF.



SEED TINES

GREENKEEPER PLUS

WITH OPEN REAR SIDE



GREENKEEPER PLUS:

	G-03 PLUS	G-06 PLUS	G-08 PLUS
Weight (kg)	350	830	940
Tines double	27	60	81
Dispersion plates (seeder)	4	10	12

Basic equipment:

- Frame with open rear side, completely galvanized
- 10 mm double tines (3 rows)
- 12-Stage depth adjustment
- Mechanic blockage of 2 cylinders
- Adjustable skids 150mm
- Adjustable skids rear side (on 6m, 8m)
(also usable without skids by shortening the top link)
- Linkage Cat. 2 suitable for catch hooks
- Extra heavy hinges and reinforced corners and skids
- Transport width 2715mm (3m version 2900mm)

Price:

3m Greenkeeper PLUS	€ 2.825,-
6m Greenkeeper PLUS hydraulically foldable	€ 5.680,-
8m Greenkeeper PLUS hydraulically foldable	€ 6.430,-

Seeder:

	3m	6m	8m
Z150 Professional	€ 4245,-	€ 4355,-	€ 4400,-
Z300 Professional	€ 4550,-	€ 4660,-	€ 4705,-
Z450 Professional	€ 4790,-	€ 4900,-	€ 4945,-

Option:

- 7-pin signal cable ISO € 165,-
- Sensor for Seeder € 190,-
- Stairs € 415,-
- LED Lighting with warning plates € 470,-
- Height adjustable guide wheels front (Set 4 pieces with mounting option for sensor) € 1.360,-
- Height adjustable guide wheels rear (for 6m/8m) (instead of skids, 2 pieces with mounting option for sensor) € 550,-
- Adjustable skids rear side (for 3m/single order) € 390,-
- Guide wheels rear (for 3m/single order) € 910,-
- Extra skids (a piece) € 85,-
- Frontlinkage € 2.170,-



OPEN REAR SIDE



ADJ. GUIDE WHEELS




ADJUSTABLE SKIDS



LED LIGHTING

GREENSEEDER



GREENSEEDER:	GS-07	GS-09	GS-11	GS-13	GS-13/50
Weight (kg)	870	1090	1255	1505	1355
Working width (cm)	450-525	600-675	750-825	900-950	600-650
Interrow width (cm)	75	75	75	75	50

Basic equipment:

- A high frame with a large ground clearance of 850 mm
- 5-stage adjustment of the spring pressure on the teeth elements
- A unique headland position: elements lift high above the crop, turning without damaging the maize plants
- Mechanic blockage of 2 cylinders
- 10 mm double tines
- Completely galvanized
- Linkage Cat. 2 suitable for catch hooks
- 4 support wheels (18x8.50-8)
- 2 support legs
- Lighting
- Extra heavy hinges
- Hydraulic hoses mounted cleverly
- Protection bar for transport
- Transport width 2500mm

Price:

7 elements	€ 9.970,-
9 elements	€ 10.940,-
11 elements	€ 12.465,-
13 elements	€ 15.750,-
13 elements special 50cm	€ 13.990,-

Seeder:	Z150 Prof.	Z300 Prof.	Z450 Prof.
7 elements	€ 4275,-	€ 4580,-	€ 4820,-
9 elements	€ 4325,-	€ 4630,-	€ 4870,-
11 elements	€ 4365,-	€ 4670,-	€ 4910,-
13 elements	€ 4405,-	€ 4710,-	€ 4950,-

Option:

- 7-pin signal cable ISO	€ 165,-
- Sensor for Seeder	€ 190,-
- Stairs with platform	€ 485,-



IN THE FIELD



STAIRS WITH PLATFORM



CONTROL BOX PROF.



LIGHTING

PNEUMATIC SEEDERS Z150, Z300 & Z450 Prof.



SEEDER:	Z150 Prof.	Z300 Prof.	Z450 Prof.
Capacity (L)	150	300	450
Length (mm)	1000	1000	1000
Width (mm)	700	700	700
Height (mm)	860	1090	1330
Capacity collector (L)	16,5	16,5	16,5



Basic equipment:

- "Basic" control box with memory removable and moisture resistant with 5m cable (prepared for optional signal cables/sensors)
- 24 positions for sowing rate and air displacement
- 5-stage adjustment rubber seal
- Electrically driven Twin blower and seed rotor (quick-change)
- Quick-change system outputs (output not included)
- Plate for quick-change seeder between different implements (1 incl.)
- Galvanized frame, white transparent hopper with hinged lid
- Integrated collector for a quick/accurate calibration test
- Integrated storage for an extra seed rotor, clamps, etc.
- 1 bundle of hose 25 meters Ø30mm
- Cable for power supply directly from tractor battery
- Choice in 5 different seed rotors (1 included)

Price (exclusive outputs, various outputs possible from 4 to 13):

Z150 Prof (tankcapacity 150 liter)	€ 3.000,-
Z300 Prof (tankcapacity 300 liter)	€ 3.305,-
Z450 Prof (tankcapacity 450 liter)	€ 3.545,-
Outputs 4 - 13 (of your choice)	€ 190,-
Dispersion plate + tube (per piece, required according to outputs)	€ 24,-
Green Rotor (suitable for rape, mustard, clover, alfalfa)	€ 175,-
Blue Rotor (suitable for rape, mustard, clover, phacelia, radish)	€ 175,-
Yellow Rotor (suitable for rape, mustard, clover, phacelia, grass)	€ 175,-
Red Rotor (suitable for phacelia, mustard, grass)	€ 175,-
Black Rotor (suitable for cereals, grass)	€ 175,-

Option:

- 7-pin signal cable ISO 4.5m (for driving speed and lifting position) € 165,-
- 7-pin signal cable ISO 7.5m (for driving speed and lifting position) € 225,-
- Wheel sensor / Linkage sensor 4m cable € 160,-
- Wheel sensor / Linkage sensor 6m cable € 220,-
- Extra cable for power supply (2nd tractor) € 90,-
- Extension cable 3m for control box / for power supply € 125,-
- Other extension cables **on request**
- Extra quick change plate for Seeder € 155,-
- Mounting set for Harrow, Greenkeeper, Greenseeder **on request**



CHOICE FOR ROTORS



CONTROL BOX



QUICK-CHANGE SYSTEMS



INTEGRATED COLLECTOR

TIPPING TRAILER Z030 - 3.0 TON



TIPPING TRAILER Z030:

	Z030
Max. total weight (kg)	3.750
Loading capacity (kg)	3.000
Weight tipping trailer (kg)	750
Dimensions loading area (cm)	240 x 150 x 40
Height loading platform (cm)	84
Tipping angle	52°
Thickness bottom (mm)	3
Thickness sideboards (mm)	2
Power demand (HP)	35 - 65
Tires	10.0/75x15.3



Basic equipment:

- European approval (with COC documents)
 - With overrunbrakes until 40 km/h
 - With 2-line brakes until 30 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Removable side boards
- Self closing backdoor
- Automatic locksystem backdoor
- Lighting
- Integrated support wheel
- Turnable hitch ø35
- Lower and upper drawbar

Price:

Z030 with overrun brakes ø40	€ 7.350,-
Z030 with 2-line Airbrakes	€ 7.500,-
Z030 with 2-line Hydraulic Brakes	€ 7.820,-

Option:

- Tires 11.5/80 x 15.3 (set)	€ 110,-
- Tires 15.0/55 x 17 (set)	€ 490,-
- Extensions (400 mm)	€ 1.290,-
- Netting extension (800 mm)	€ 2.050,-
- Shreds cover	€ 1.140,-
- 2-doors tailgate	€ 1.115,-
- 3-side tipping	€ 940,-
- Hydr. support	€ 330,-
- LED lighting	€ 195,-
- Tool box	€ 400,-
- Hooks for ropes (8st)	€ 195,-



3-SIDE TIPPING



2-DOORS TAILGATE



AUTOMATIC LOCKSYSTEM

TIPPING TRAILER Z045/Z050 - 4.5 TON/ 5.0 TON



Z045



Z050



EUROPEAN APPROVED

TIPPING TRAILER:

	Z045	Z050
Max. total weight (kg)	5.700	6.400
Loading capacity (kg)	4.500	5.000
Weight tipping trailer (kg)	1.200	1.400
Dimensions loading area (cm)	340 x 180 x 40	340 x 180 x 40
Height loading platform (cm)	96	96
Thickness bottom (mm)	4	4
Thickness sideboards (mm)	2	2
Power demand (HP)	45-75	45-75
Tipping angle	50°	50°
Tires	11.5/80x15.3	11.5/80x15.3

Basic equipment:

- **European approval (with COC documents)**
 - With overrunbrakes until 40 km/h
 - With 2-line brakes until 30 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Removable side boards
- Self closing backdoor
- Automatic locksystem backdoor
- Lighting
- Integrated support wheel
- Turnable hitch ø50
- Lower and upper drawbar

Z045 with overrun brakes ø40	€ 7.995,-
Z045 with 2-line Airbrakes	€ 8.205,-
Z045 with 2-line Hydraulic Brakes	€ 8.700,-

Z050 with overrun brakes ø40	€ 9.385,-
Z050 with 2-line Airbrakes	€ 9.595,-
Z050 with 2-line Hydraulic Brakes	€ 9.995,-

Option:

- Tires 15.0/55 x 17 (set)	€ 490,-
- Tires 19.0/45 x 17 (set)	€ 890,-
- Tires 500/50 x 17 (set)	€ 965,-
- Extensions (400 mm)	€ 1.465,-
- Netting Extensions (800 mm)	€ 2.315,-
- Shreds cover	€ 1.265,-
- 2-doors tailgate	€ 1.225,-
- 3-side tipping (only Z050)	€ 1.045,-
- Hydr. support	€ 455,-
- LED lighting	€ 195,-
- Tool box	€ 400,-
- Hooks for ropes (10st)	€ 245,-



EXTENSIONS 400MM



OVERRUN BRAKES (COC)



NETTING EXTENSIONS



SHREDS COVER

TIPPING TRAILER Z080/Z100 - 8.0 TON / 10.0 TON



TIPPING TRAILER:

	Z080	Z100
Max. total weight (kg)	10.300	12.700
Loading capacity (kg)	8.000	10.000
Weight tipping trailer (kg)	2.300	2.700
Dimensions loading area (cm)	450 x 220 x 60	450 x 220 x 60
Height loading platform (cm)	106	106
Thickness bottom (mm)	4	4
Thickness sideboards (mm)	2	2
Power demand (HP)	60	80
Tipping angle	50°	50°
Tires single axle	550/45x22.5	550/45x22.5
Tires tandem axle	15.0/55x17	15.0/55x17

Basic equipment:

- European approval (with COC documents)
 - Single axle with 2-line brakes until 30 km/h
 - Tandem axle with 2-line brakes until 40 km/h
- Upper- and lower frame and load platform galvanized
- One side tipping (backwards)
- Single or tandem axle (bogie, leaf spring suspension)
- Removable side boards with mechanic locksystem
- Self closing backdoor
- Hydraulic locksystem backdoor
- Lighting
- Hydraulic support
- Turnable hitch ø50
- Lower and upper drawbar

Price:	AIRBRAKES	HYDR. BRAKES
Z080 single axle		
Z080 tandem axle		Z080/Z100
Z100 single axle		not available at the moment
Z100 tandem axle		

Option:

- Tires 19.0/45 x 17 (set)
- Tires 500/50 x 17 (set)
- 3 Side tipping with hydraulic locksystem sideboards
- Extensions (400 mm)
- Shreds cover
- 2-doors tailgate
- LED lighting
- Tool box
- Hooks for ropes (12st)
- K80 ball head coupling



SINGLE AXLE



EXTENSIONS



ONE SIDE TIPPING

UNIVERSAL BALE CLAMP



ZOCON

UNIVERSAL BALE CLAMP

	B-01
Opening clamp (cm)	70 - 245
Weight (kg)	300
Max. oil pressure (bar)	180
Min. width clamp	147
Capacity (kg)	1500



Basic equipment:

- Completely galvanized, robust & modular
- Suitable for bales from 70 till 245 cm
- Without linkage, many linkages possible
- 2 strong cylinders (32/55)
- Check valve
- Low maintenance (plastic slide strips)
- No sharp edges

Price:

€ 2.215,-

Option:

- Euro brackets (*mounted with bolts*) € 200,-
- Threepoint linkage (*mounted with bolts*) € 685,-
- Other brackets, many possibilities (*mounted with bolts, additional costs*) page 28-31
- Extension (550 mm height) € 285,-
- Pressure relief valve (*needed above 180 bar*) € 260,-



EURO BRACKETS



PRESSURE RELIEF VALVE



ALSO FOR ROUND BALES



MANY LINKAGES POSSIBLE



OPT. EXTENSIONS 550MM


RUBBER SCRAPER WITH THREEPOINT



STANDARD



MECHANIC




HYDRAULIC



RUBBER SCRAPER:	RS-S190	RS-S270	RS-S300	RS-M190	RS-M270	RS-M300	RS-H190	RS-H270	RS-H300
Working width (cm)	+/-190	+/-270	+/-300	+/-190	+/-270	+/-300	+/-190	+/-270	+/-300
Height rubber (cm)	40	40	50	40	40	50	40	40	50
Length edges (cm)	25	38	53	25	38	53	25	38	53
Weight (kg)	148	173	190	213	238	255	218	243	260

Basic equipment:


- Completely galvanized, robust & modular frame
- Threepoint and forklift input (190 x 70 mm)
- Slide board available in sizes 190, 270, 300
- Adjustable edges available in 3 positions (0°, 20°, 40°)
- Reconditioned rubber with steel reinforcement
- Movable pivot point (60°) available with:
 - Mechanic top link for movement blade
 - Hydraulic cylinders for movement blade



OPTION: 3IN1 BOK
THREEPOINT, FORKLIFT INPUT, EURO

Setprice (with threepoint, forklift input an possible pivot point)

	Standard	Mechanic	Hydraulic
190 x 40 cm	€ 1.205,-	€ 1.840,-	€ 2.250,-
270 x 40 cm	€ 1.320,-	€ 1.955,-	€ 2.365,-
300 x 50 cm	€ 1.575,-	€ 2.210,-	€ 2.620,-




60° PIVOT POINT
PERFECT FOR PUSHING ANIMAL FOOD

Option:

- New rubber without steel reinforcement 190 € 120,-
- New rubber without steel reinforcement 270 € 135,-
- New rubber without steel reinforcement 300 € 195,-
- Collision protection valve € 200,-
- Linkage 3in1 (additional price to price for set) € 330,-
- Snow extension for 190 € 440,-
- Snow extension for 270 € 520,-
- Snow extension for 300 € 590,-



SNOW EXTENSION




MODULAR CONSTRUCTION
Easily expandable, also later

RUBBER SCRAPER WITH UNIVERSAL LINKAGE



ZAD-2009 EURO



ZAD-2003 VOLVO



ZAD-2045 GIANT



RUBBER SCRAPER:	RS-S190	RS-S270	RS-S300	RS-M190	RS-M270	RS-M300	RS-H190	RS-H270	RS-H300
Working width (cm)	+/-190	+/-270	+/-300	+/-190	+/-270	+/-300	+/-190	+/-270	+/-300
Height rubber (cm)	40	40	50	40	40	50	40	40	50
Length edges (cm)	25	38	53	25	38	53	25	38	53
Weight without brackets (kg)	110	135	152	175	200	217	180	205	222

Basic equipment:

- Completely galvanized, robust & modular frame
- Universal linkage with brackets of your choice (additional) see all possible brackets page 28-31
- Slide board available in sizes 190, 270, 300
- Adjustable edges available in 3 positions (0°, 20°, 40°)
- Reconditioned rubber with steel reinforcement
- Movable pivot point (60°) available with:
 - Mechanic top link for movement blade
 - Hydraulic cylinders for movement blade

Setprice: (with universal linkage an possible pivot point)

	Standard	Mechanic	Hydraulic
190 x 40 cm	€ 1.195,-	€ 1.700,-	€ 2.110,-
270 x 40 cm	€ 1.180,-	€ 1.815,-	€ 2.225,-
300 x 50 cm	€ 1.435,-	€ 2.070,-	€ 2.480,-


Add the desired brackets to these setprices. See page 28-31.
Ask us beforehand for the drawings of the brackets.

Option:

- New rubber without steel reinforcement 190 € 120,-
- New rubber without steel reinforcement 270 € 135,-
- New rubber without steel reinforcement 300 € 195,-
- Collision protection valve € 200,-
- Snow extension for 190 € 440,-
- Snow extension for 270 € 520,-
- Snow extension for 300 € 590,-

Parts (loose) Modular Rubber Scraper

- Slide board 190, rubber wit steel € 595,-
- Slide board 270, rubber wit steel € 710,-
- Slide board 300, rubber wit steel € 965,-
- Forklift input € 395,-
- Mechanic pivot point € 635,-
- Hydraulic pivot point € 1.045,-
- Universal Linkage € 470,-




DIRECTLY ON SLIDE BOARD



COLLISION PROTECTION



SNOW EXTENSION



MODULAR CONSTRUCTION
Easily expandable, also later

BUDGET RUBBER SCRAPER & FEED WEEPER WHEEL



**NEW! BUDGET
190 & 270**



BUDGET RUBBER SCRAPER

Basic equipment:

- Completely galvanized
- Reconditioned rubber with steel reinforcement
- Forklift or threepoint Cat II with forklift

Price:

Budget Scraper 190 forklift	€ 505,-
Budget Scraper 190 threepoint/forklift	€ 780,-
Budget Scraper 270 forklift	€ 650,-
Budget Scraper 270 threepoint/forklift	€ 925,-

Option:

- New rubber without steel reinforcement 190 € 120,-
- New rubber without steel reinforcement 270 € 135,-



CORNERS WITH FIXED ANGLE



THREEPOINT/FORKLIFT

FEED SWEEPER WHEEL

Basic equipment:

- Completely galvanized
- Linkage Cat. 2 and Accord
- Self-rotating (mechanic)
- Excl. tire, suitable for tires 34", 36" & 38"
- Always centered (by adjustable plates)
- Blockade system wheel
- Hydraulic adjustable
- Weight without tire 150kg

Price:

€ 1.350,-



BLOCKADE SYSTEM

SWEEPER WITH THREEPOINT OR UNIVERSAL LINKAGE



LINKAGE 1



THREEPOINT

LINKAGE 2



UNIVERSAL



SWEEPER:	VM-150M	VM-150Z	VM-195M	VM-195Z	VM-240M	VM-240Z	VM-285M	VM-285Z
Working width (cm)	150	150	195	195	240	240	285	285
Capacity collector (liter)	160	0	204	0	247	0	290	0
Weight (kg)	410	300	455	325	500	350	545	375
No. of wheels	4	3	4	3	4	3	4	3

Basic equipment:

- Completely galvanized, robust & modular
- Hydraulic engine is fitted internally
- Central depth adjustment of the brush (10 stages)
- Wave brush Ø600mm
- Standard hydraulic emptying (2 DA required)
- Standard support wheel (when without collector)
- Mechanic adjustable left and right 20°
- Pneumatic wheels Ø300mm

Choice for linkage:

- Linkage 1: Cat. 2 threepoint and quick coupling triangle (Accord)
 - Linkage 2: Linkage universal with anchorage (no threepoint)
- Add the desired buckets to these set prices, page 28-31.

Setprice: (Sweeper with Linkage threepoint or universal)

Linkage 1 / Working width	150	195	240	285
Threepoint without collector	€ 4090	€ 4305	€ 4575	€ 4770
Threepoint with collector	€ 4830	€ 5170	€ 5500	€ 5790

Linkage 2 / Working width	150	195	240	285
Universal without collector	€ 4610	€ 4825	€ 5095	€ 5290
Universal with collector	€ 5350	€ 5690	€ 6020	€ 6310

Option:

- Hydraulic adjustable € 380,-
- Control by 1 double acting valve
- Sequence valve (Brush/Collector) € 720,-
- Electrically operated control valve 6/2 € 875,-
- Electrically operated control valve 8/3 € 1.065,-
- Solid rubber Casters (price/unit) € 130,-
- Hydraulic side brush € 1.260,-
- Water spraying equipment with water tank € 1.280,-
- Attachment forklift for Cat. 2 threepoint linkage € 675,-
- Flaps against dust € 455,-
- Special wave brush for snow or with steel on request



WITH COLLECTOR



HYDRAULIC EMPTYING



SPRINKLER SYSTEM WITH WATER TANK



PNEUMATIC/SOLID RUBBER

BRACKETS BALE CLAMP / UNIVERSAL LINKAGE

Brand	Type	Drawing	Price
Accord		ZAD-2047	€ 385,00
Ahlmann	AS/AZ 11, 14, 150	ZAD-2026	€ 505,00
	AZ6 - AZ85	ZAD-2027	€ 340,00
	AS45, AS50, AS60	ZAD-2028	€ 530,00
Alö	Veto	ZAD-2034	€ 385,00
	Trima/SMS	ZAD-2048	€ 435,00
	Quicke	ZAD-2049	€ 690,00
Atlas	AR42- AR85	ZAD-2042	€ 380,00
	AR95	ZAD-2030	€ 615,00
	AR32 - AR35	ZAD-2050	€ 540,00
Avant		ZAD-2017	€ 345,00
Bobcat	900 mm	ZAD-2051	€ 500,00
	1.130 mm	ZAD-2032	€ 400,00
	Telehandler	ZAD-2010	€ 790,00
Branson	Euro	ZAD-2009	€ 200,00
Caterpillar	Cat. 902, 906, 907, 908	ZAD-2001	€ 390,00
	Telehandler TH & B	ZAD-2052	€ 685,00
Claas	Scorpion	ZAD-2021	€ 420,00
	Targo	ZAD-2053	€ 780,00
	Ranger	ZAD-2054	€ 780,00
CW			p.o.a.
Deutz Fahr / JLG	Telehandler Vector	ZAD-2055	€ 620,00
Dieci	Zeus	ZAD-2056	€ 700,00
	Dedalus	ZAD-2057	€ 690,00
	Samson	ZAD-2058	€ 565,00
	Apollo	ZAD-2059	€ 625,00
Doosan		ZAD-2060	€ 735,00
Euro		ZAD-2009	€ 200,00
Eurotrac		ZAD-2045	€ 360,00

BRACKETS BALE CLAMP / UNIVERSAL LINKAGE

Brand	Type	Drawing	Price
Faresin		ZAD-2006	€ 455,00
Faucheux	F2	ZAD-2007	€ 370,00
	F3	ZAD-2061	€ 550,00
Fem 2	Boltable	ZAD-2044	€ 735,00
	Quick change	ZAD-2062	€ 805,00
Fuchs	Mechanic	ZAD-2063	€ 475,00
	Hydraulic	ZAD-2064	€ 645,00
Gehlmax	Compact loader	ZAD-2002	€ 300,00
	Skid loader	ZAD-2032	€ 400,00
Genie		ZAD-2065	€ 625,00
Giant	Type 203SW, 204SW, 254SW	ZAD-2017	€ 345,00
		ZAD-2045	€ 360,00
Hanomag		ZAD-2020	€ 435,00
Hitachi	Small	ZAD-2001	€ 390,00
	Wide	ZAD-2003	€ 640,00
Intrac	Euro	ZAD-2009	€ 200,00
JCB	403	ZAD-2037	€ 475,00
	406	ZAD-2005	€ 355,00
	Quick Hitch	ZAD-2029	€ 505,00
	Q-fit	ZAD-2066	€ 675,00
	Pin & Cone (Matbro)	ZAD-2012	€ 410,00
	Tool Carrier	ZAD-2067	€ 715,00
John Deere	Compact lader 300/400 CX	ZAD-2068	€ 460,00
	Pin & Cone (Matbro)	ZAD-2012	€ 410,00
Knikmops	KM70 - KM90	ZAD-2069	€ 615,00
	KM130	ZAD-2070	€ 645,00
	KM250	ZAD-2071	€ 520,00
Komatsu	WA65 - WA85, WA95	ZAD-2001	€ 390,00
	WH609	ZAD-2016	€ 475,00
	WA150-WA380	ZAD-2003	€ 640,00

BRACKETS BALE CLAMP / UNIVERSAL LINKAGE

Brand	Type	Drawing	Price
Kramer Allrad	112, 120, 180, 250, 350	ZAD-2025	€ 410,00
	280, 380, 480, 580, 680, 750, 850	ZAD-2023	€ 410,00
	880	ZAD-2016	€ 475,00
	Telehandler	ZAD-2021	€ 420,00
Kubota		ZAD-2045	€ 360,00
Liebherr	506 - 510	ZAD-2001	€ 390,00
	512 - 554	ZAD-2003	€ 640,00
Macks/Oehler	Mechanic	ZAD-2072	€ 685,00
	Hydraulic	ZAD-2073	€ 540,00
Manitou	Telehandler	ZAD-2011	€ 575,00
Massey Ferguson	Telehandler	ZAD-2010	€ 790,00
Matbro	Pin & Cone	ZAD-2012	€ 410,00
Merlo	ZM 2	ZAD-2031	€ 630,00
	ZM 3	ZAD-2033	€ 735,00
Multi-One-CFS		ZAD-2017	€ 345,00
Mustang	Compact loader	ZAD-2002	€ 300,00
	Skid loader	ZAD-2032	€ 400,00
MX (Maillieux)		ZAD-2018	€ 500,00
New Holland	Telehandler LM410-LM430	ZAD-2015	€ 455,00
Norcar		ZAD-2017	€ 345,00
O & K		ZAD-2074	€ 735,00
Quappen	Euro	ZAD-2009	€ 200,00
Paus	RL651-RL855	ZAD-2019	€ 490,00
	RL1252	ZAD-2075	€ 700,00
Pichon		ZAD-2076	€ 660,00
Sauerburger	Weidemann	ZAD-2002	€ 300,00

BRACKETS BALE CLAMP / UNIVERSAL LINKAGE

Brand	Type	Drawing	Price
Schäffer	Hydraulic (Wide)	ZAD-2085	€ 435,00
	Hydraulic (Small)	ZAD-2094	€ 435,00
	Mechanic 217-3045 (520mm)	ZAD-2037	€ 475,00
	Mechanic ab 3045 (620mm)	ZAD-2038	€ 475,00
Schaeff	SKL821-SKL832 (Ø35mm)	ZAD-2013	€ 430,00
	SKL833-SKL853 (Ø50mm)	ZAD-2014	€ 560,00
	SKL861-SKL873 (Ø50mm)	ZAD-2046	€ 695,00
	Atlas	ZAD-2042	€ 380,00
	SKL160	ZAD-2003	€ 640,00
Sherpa		ZAD-2077	€ 615,00
Striegel		ZAD-2078	€ 395,00
Terex	TL60, TL65, TL70	ZAD-2013	€ 430,00
	TL80, TL100, TL120	ZAD-2014	€ 560,00
	TL160	ZAD-2003	€ 640,00
Thaler		ZAD-2035	€ 785,00
Venieri		ZAD-2079	€ 695,00
Verachttert	System 2001	ZAD-2080	€ 1.380,00
	System 2002	ZAD-2081	€ 1.300,00
	System 2003	ZAD-2082	€ 1.610,00
Volvo	L20 - L25	ZAD-2005	€ 355,00
	L30 - L35	ZAD-2001	€ 390,00
	L35G - L45	ZAD-2016	€ 475,00
	L50 - L120	ZAD-2003	€ 640,00
Wacker Neuson	Compact loader	ZAD-2002	€ 300,00
	Skid loader	ZAD-2032	€ 400,00
Weidemann	Mechanic	ZAD-2041	€ 425,00
	Hydraulic	ZAD-2002	€ 300,00
	4070	ZAD-2083	€ 615,00
Werklust	WG18-35	ZAD-2024	€ 530,00
Zeppelin	ZL4B, ZL6B, ZL65 (Ø35mm)	ZAD-2013	€ 430,00
	ZL7C, ZL8B-C, ZL10B-C, ZL80-85-100-110 (Ø50mm)	ZAD-2014	€ 560,00
	ZL12B-C (Ø50mm)	ZAD-2046	€ 695,00
	ZL1001i	ZAD-2003	€ 640,00
Zettelmeijer	ZL402	ZAD-2005	€ 355,00
	ZL502, ZL602, ZL702	ZAD-2001	€ 390,00
	ZL802-ZL1002	ZAD-2016	€ 475,00



Jens Lubeck

Agro ApS

Østergade 65
9560 Hadsund

Telefon 70 70 76 39

info@jenslubeck.dk

Zonderland Constructie B.V.
De Koevorde 6
8502 TZ JOURE
THE NETHERLANDS

Phone +31 (0)513 714334
E-mail info@zocon.eu
Website www.zocon.eu